Devicon for LaTeX

Version 0.2.0 • 24 November 2026

Use the Devicon icon font for programming languages and development tools in documents compiled with pdfLaTeX, XeLaTeX or LuaLaTeX. This package bundles Devicon v2.18.0 from upstream revision `32fe1d3`.

1 Getting started

To try the example, upload the Overleaf release ZIP through **New Project** → **Upload Project** and compile `example.tex` with pdfLaTeX.

1.1 Add Devicon to an existing Overleaf project

Extract the Overleaf ZIP or open the `devicon/` folder in the extracted CTAN archive. Use **Upload** in Overleaf's file list and put the following files in the project root, alongside your main `.tex` file.

- `devicon.sty`, `devicon-glyphs.def`, `devicon-2.18.0.ttf`
- `devicon-pdftex.map` and all six `devicon-2-18-0-*.enc` and six `devicon-2-18-0-*.tfm` files

Add `\usepackage{devicon}` to your preamble and a `\devicon{...}` command in the document body. Click **Recompile**. For local TEXMF installation paths, see `README.md`.

```
\documentclass{article}
\usepackage{devicon}
\begin{document}
\devicon{python-plain} Python
\end{document}
```

1.2 When Overleaf includes Devicon

After CTAN publishes Devicon, TeX Live can add it to the distribution. You can load it directly once your project's TeX Live version includes it. Standard Overleaf updates annually, and the opt-in Rolling TeX Live experiment uses monthly builds. See the Overleaf TeX Live documentation.

2 Using icons

`\devicon{python-plain}` produces . Names are case-sensitive. The CSS prefix `devicon-` is optional. Choose the font variant shown in the catalog, including its suffix such as `-plain` or `-original`.

Icons inherit the current text size and color. For example, `{\Large\devicon{git-plain}}` changes size and `\textcolor{blue}{\devicon{git-plain}}` colors the glyph using `xcolor`, as in . The font provides single-color glyphs. Keep a text label beside any icon that conveys information. The icon itself is omitted from `hyperref` PDF bookmarks.

3 Credits and license

The package code is released under the MIT License. The bundled Devicon font and its source are from Devicon and retain the upstream MIT license. Product names and logos belong to their respective owners. Follow the relevant brand policies when using the icons. See `LICENSE` and `LICENSE-DEVICON`.

4 Icon catalog

The entries below are the font names accepted by `\devicon`.

 `aarch64-line`
 `aarch64-line-wordmark`
 `aarch64-plain`
 `aarch64-plain-wordmark`
 `adonisjs-original`
 `adonisjs-original-wordmark`
 `adonisjs-plain`
 `adonisjs-plain-wordmark`
 `aerospike-original`
 `aerospike-original-wordmark`
 `aerospike-plain`
 `aerospike-plain-wordmark`
 `aframe-original-wordmark`
 `aframe-plain`
 `aframe-plain-wordmark`
 `aftereffects-plain`
 `aiassistant-plain`
 `aiassistant-plain-wordmark`
 `akka-plain`
 `akka-plain-wordmark`
 `algolia-original`
 `algolia-original-wordmark`
 `almalinux-plain`
 `almalinux-plain-wordmark`
 `alpinejs-original`
 `alpinejs-original-wordmark`
 `alpinejs-plain`
 `alpinejs-plain-wordmark`
 `amazonwebservices-line`
 `amazonwebservices-line-wordmark`
 `amazonwebservices-plain`
 `amazonwebservices-plain-wordmark`
 `anaconda-original`
 `anaconda-original-wordmark`
 `anaconda-plain`
 `anaconda-plain-wordmark`
 `android-plain`
 `android-plain-wordmark`
 `androidstudio-plain`
 `androidstudio-plain-wordmark`
 `angular-plain`
 `angular-plain-wordmark`
 `angularjs-plain`
 `angularjs-plain-wordmark`
 `angularmaterial-plain`
 `ansible-plain`
 `ansible-plain-wordmark`
 `ansys-plain`
 `ansys-plain-wordmark`
 `antdesign-plain`
 `antdesign-plain-wordmark`
 `antigravity-plain`
 `apache-line`
 `apache-line-wordmark`
 `apache-plain`
 `apache-plain-wordmark`
 `apacheairflow-plain`
 `apacheairflow-plain-wordmark`
 `apacheignite-line`
 `apacheignite-original`
 `apacheignite-plain`
 `apacheignite-plain-wordmark`
 `apachekafka-original`
 `apachekafka-original-wordmark`
 `apachekafka-plain`
 `apachekafka-plain-wordmark`
 `apachespark-original`
 `apachespark-plain`
 `apachespark-plain-wordmark`
 `apex-original`
 `apex-plain`
 `apify-plain`
 `apify-plain-wordmark`
 `apl-plain`
 `apollographql-line`
 `apollographql-line-wordmark`
 `apollographql-original`
 `apollographql-original-wordmark`
 `apollographql-plain`
 `apollographql-plain-wordmark`
 `appcelerator-original`
 `appcelerator-plain`
 `appcelerator-plain-wordmark`
 `apple-original`
 `apple-plain`
 `appwrite-original`
 `appwrite-plain`
 `appwrite-plain-wordmark`
 `archlinux-plain`
 `archlinux-plain-wordmark`
 `arduino-plain`
 `arduino-plain-wordmark`
 `argocd-plain`
 `argocd-plain-wordmark`
 `artixlinux-plain`
 `artixlinux-plain-wordmark`
 `aspire-line`
 `aspire-plain`
 `astro-plain`
 `astro-plain-wordmark`
 `atom-original`
 `atom-original-wordmark`


atom-plain

atom-plain-wordmark

awk-plain-wordmark


axios-plain

axios-plain-wordmark


azure-plain

azure-plain-wordmark


azuredatafactory-line


azuredatafactory-plain


azuredevops-plain


azuresqldatabase-plain

babel-original

babel-plain


babylonjs-plain

babylonjs-plain-wordmark


backbonejs-plain


backbonejs-plain-wordmark


ballerina-line


ballerina-line-wordmark

ballerina-original


ballerina-original-wordmark


ballerina-plain


ballerina-plain-wordmark


bamboo-original

bamboo-original-wordmark


bamboo-plain

bamboo-plain-wordmark


bash-plain


bazel-plain

bazel-plain-wordmark


beats-plain

behance-plain

behance-plain-wordmark


bevyengine-line

bevyengine-line-wordmark


bevyengine-plain

bevyengine-plain-wordmark


biome-line

biome-line-wordmark


biome-original

biome-plain

biome-plain-wordmark

bitbucket-original

bitbucket-original-wordmark

bitbucket-plain

bitbucket-plain-wordmark

blazor-line

blazor-original

blazor-plain

blender-original

blender-original-wordmark

bootstrap-plain

bootstrap-plain-wordmark

bower-line

bower-line-wordmark

bower-plain

bower-plain-wordmark

browserstack-line

browserstack-line-wordmark

browserstack-plain

browserstack-plain-wordmark

bruno-plain

bruno-plain-wordmark

bulma-plain

bun-line

bun-plain

burpsuite-line

burpsuite-line-wordmark

burpsuite-plain

burpsuite-plain-wordmark

c-line

c-line-wordmark

c-original

c-original-wordmark

c-plain

c-plain-wordmark

cachyos-plain

cairo-plain

cairo-plain-wordmark

cake-plain

cakephp-plain

cakephp-plain-wordmark

canva-original

canva-plain

capacitor-plain

capacitor-plain-wordmark

carbon-original

carbon-plain

cassandra-plain

cassandra-plain-wordmark

centos-plain

centos-plain-wordmark

ceph-original

ceph-plain

ceph-plain-wordmark

ceylon-plain

ceylon-plain-wordmark

chakraui-plain

chakraui-plain-wordmark

chartjs-plain

chartjs-plain-wordmark

chrome-plain

chrome-plain-wordmark

circleci-plain

circleci-plain-wordmark

clarity-plain

clarity-plain-wordmark

claude-plain

claudecode-original

claudecode-plain

clickhouse-plain
clion-plain
clion-plain-wordmark
clojure-line
clojure-plain
clojurescript-plain
cloudflare-plain
cloudflare-plain-wordmark
cloudflareworkers-plain
cloudflareworkers-plain-wordmark
cloudrun-line
cloudrun-plain
cmake-plain
cmake-plain-wordmark
cobol-original
cobol-plain
codeac-original
codeberg-line
codeberg-line-wordmark
codeberg-plain
codeberg-plain-wordmark
codecov-plain
codeigniter-plain
codeigniter-plain-wordmark
codepen-line
codepen-line-wordmark
codepen-original
codepen-original-wordmark
codepen-plain
codepen-plain-wordmark
codex-plain
coffeescript-original
coffeescript-original-wordmark
coffeescript-plain
coffeescript-plain-wordmark
composer-line
composer-line-wordmark
composer-plain
composer-plain-wordmark
confluence-line
confluence-line-wordmark
confluence-plain
confluence-plain-wordmark
consul-original
consul-plain
consul-plain-wordmark
contao-original
contao-original-wordmark
cordova-plain
cordova-plain-wordmark
corejs-original
corejs-original-wordmark
corejs-plain
corejs-plain-wordmark
cosmosdb-plain
cosmosdb-plain-wordmark
couchbase-original
couchbase-plain
couchbase-plain-wordmark
couchdb-plain
couchdb-plain-wordmark
cpanel-original
cpanel-original-wordmark
cpanel-plain
cpanel-plain-wordmark
cplusplus-line
cplusplus-line-wordmark
cplusplus-plain
cplusplus-plain-wordmark
crystal-line
crystal-line-wordmark
crystal-original
crystal-original-wordmark
crystal-plain
crystal-plain-wordmark
csharp-line
csharp-line-wordmark
csharp-plain
csharp-plain-wordmark
css-plain
css3-plain
css3-plain-wordmark
cucumber-plain
cucumber-plain-wordmark
cursor-original-wordmark
cursor-plain
cursor-plain-wordmark
cypressio-line
cypressio-line-wordmark
cypressio-plain
cypressio-plain-wordmark
d3js-plain
dart-plain
dart-plain-wordmark
datadog-original
datadog-original-wordmark
datadog-plain
datadog-plain-wordmark
datagrip-plain
datagrip-plain-wordmark
dataspell-plain
dataspell-plain-wordmark
datatables-line
datatables-original
datatables-plain
dbeaver-plain
debian-plain
debian-plain-wordmark
delphi-plain
denojs-original


denojs-original-wordmark

denojs-plain

denojs-plain-wordmark

detaspace-line

detaspace-line-wordmark

devicon-line

devicon-line-wordmark

devicon-plain

devicon-plain-wordmark

digitalocean-original

digitalocean-original-wordmark

digitalocean-plain

digitalocean-plain-wordmark

discloud-original

discloud-plain

discloud-plain-wordmark

discordjs-plain

discordjs-plain-wordmark

django-plain

django-plain-wordmark

djangorest-line

djangorest-line-wordmark

djangorest-plain

djangorest-plain-wordmark

docker-plain

docker-plain-wordmark

doctrine-line

doctrine-line-wordmark

doctrine-plain

doctrine-plain-wordmark

dot-net-plain

dot-net-plain-wordmark

dotnetcore-plain

dovecot-line

dovecot-line-wordmark

dovecot-plain

dreamweaver-line

dreamweaver-plain

dropwizard-plain

drupal-plain

drupal-plain-wordmark

duckdb-plain

dyalog-plain

dynamodb-plain

dynatrace-line

dynatrace-line-wordmark

dynatrace-plain

dynatrace-plain-wordmark

eclipse-plain

eclipse-plain-wordmark

ecto-original

ecto-plain

ecto-plain-wordmark

elasticsearch-plain

elasticsearch-plain-wordmark

electron-original

electron-original-wordmark

eleventy-plain

elixir-plain

elixir-plain-wordmark

elm-plain

elm-plain-wordmark

emacs-original

emailjs-original

emailjs-plain

emailjs-plain-wordmark

embeddedc-plain

embeddedc-plain-wordmark

ember-original-wordmark

ember-plain

ember-plain-wordmark

entityframeworkcore-line

entityframeworkcore-plain

envoy-plain

envoy-plain-wordmark

erlang-plain

erlang-plain-wordmark

eslint-line

eslint-line-wordmark

eslint-plain

eslint-plain-wordmark

expo-line

expo-line-wordmark

expo-original

expo-original-wordmark

expo-plain

expo-plain-wordmark

express-original

express-original-wordmark

facebook-original

facebook-plain

fastapi-plain

fastapi-plain-wordmark

fastify-plain

fastify-plain-wordmark

faunadb-line

faunadb-line-wordmark

faunadb-original

faunadb-original-wordmark

faunadb-plain

faunadb-plain-wordmark

feathersjs-original

fedora-plain

fiber-line

fiber-line-wordmark

fiber-plain

fiber-plain-wordmark

figma-plain

filamentphp-original

filamentphp-original-wordmark

 filamentphp-plain
 filamentphp-plain-wordmark
 filezilla-line
 filezilla-line-wordmark
 filezilla-plain
 filezilla-plain-wordmark
 firebase-line
 firebase-line-wordmark
 firebase-plain
 firebase-plain-wordmark
 firebird-plain
 firefox-plain
 firefox-plain-wordmark
 fish-plain
 flask-original
 flask-original-wordmark
 flask-plain
 flask-plain-wordmark
 flutter-plain
 flyway-original
 flyway-original-wordmark
 flyway-plain
 flyway-plain-wordmark
 forgejo-line
 forgejo-line-wordmark
 forgejo-plain
 forgejo-plain-wordmark
 fortran-original
 foundation-plain
 foundation-plain-wordmark
 framermotion-original
 framermotion-original-wordmark
 framework7-original
 framework7-original-wordmark
 framework7-plain
 framework7-plain-wordmark
 frankenphp-plain
 frankenphp-plain-wordmark
 fsharp-plain
 fusion-plain
 gardener-line
 gardener-plain
 gatling-line
 gatling-line-wordmark
 gatling-original
 gatling-plain
 gatling-plain-wordmark
 gatsby-original
 gatsby-plain
 gatsby-plain-wordmark
 gazebo-plain
 gazebo-plain-wordmark
 gcc-line
 gcc-line-wordmark
 gcc-plain
 gcc-plain-wordmark
 gentoo-line
 gentoo-line-wordmark
 gentoo-plain
 gentoo-plain-wordmark
 ghidra-line
 ghidra-plain
 ghost-original
 ghost-original-wordmark
 gimp-line
 gimp-line-wordmark
 gimp-plain
 gimp-plain-wordmark
 git-plain
 git-plain-wordmark
 gitbook-line
 gitbook-line-wordmark
 gitbook-original
 gitbook-original-wordmark
 gitbook-plain
 gitbook-plain-wordmark
 gitea-original
 gitea-plain
 gitea-plain-wordmark
 github-original
 github-original-wordmark
 github-plain
 githubactions-plain
 githubactions-plain-wordmark
 githubcodespaces-plain
 githubcopilot-line
 githubcopilot-line-wordmark
 githubcopilot-plain
 githubcopilot-plain-wordmark
 gitkraken-original
 gitkraken-plain
 gitkraken-plain-wordmark
 gitlab-plain
 gitlab-plain-wordmark
 gitpod-plain
 gitpod-plain-wordmark
 gitter-plain
 gitter-plain-wordmark
 gleam-plain
 glitch-plain
 gnuradio-original
 gnuradio-plain
 gnuradio-plain-wordmark
 go-line
 go-original-wordmark
 go-plain
 go-plain-wordmark
 godot-plain
 godot-plain-wordmark
 goland-plain

goland-plain-wordmark
google-original
google-original-wordmark
google-plain
google-plain-wordmark
googleappscript-plain
googlecloud-plain
googlecloud-plain-wordmark
googlecolab-plain
gradle-original
gradle-original-wordmark
gradle-plain
gradle-plain-wordmark
grafana-line
grafana-line-wordmark
grafana-plain
grafana-plain-wordmark
grafanaloki-plain
grafanaloki-plain-wordmark
grails-plain
graphql-plain
graphql-plain-wordmark
groovy-plain
grpc-plain
grunt-line
grunt-line-wordmark
grunt-plain
grunt-plain-wordmark
gulp-plain
hadoop-line
hadoop-line-wordmark
hadoop-plain
hadoop-plain-wordmark
handlebars-line
handlebars-line-wordmark
handlebars-original
handlebars-original-wordmark
handlebars-plain
handlebars-plain-wordmark
haproxy-plain
haproxy-plain-wordmark
harbor-line
harbor-line-wordmark
harbor-plain
harbor-plain-wordmark
hardhat-plain
hardhat-plain-wordmark
harvester-original
harvester-plain
harvester-plain-wordmark
haskell-plain
haskell-plain-wordmark
haxe-plain
helix-line
helix-plain
helm-line
helm-original
helm-plain
heroku-line
heroku-line-wordmark
heroku-original
heroku-original-wordmark
heroku-plain
heroku-plain-wordmark
hibernate-plain
hibernate-plain-wordmark
homebrew-line
homebrew-line-wordmark
homebrew-plain
homebrew-plain-wordmark
hoppscotch-plain
html5-plain
html5-plain-wordmark
htmx-line
htmx-line-wordmark
htmx-plain
htmx-plain-wordmark
huggingface-line
huggingface-line-wordmark
huggingface-plain
huggingface-plain-wordmark
hugo-plain
hugo-plain-wordmark
hyperv-original-wordmark
hyperv-plain
hyperv-plain-wordmark
hyprland-plain
hyprland-plain-wordmark
icinga-original
icinga-original-wordmark
idris-original
idris-plain
ie10-original
ie10-plain
ifttt-original
ifttt-plain
illustrator-line
illustrator-plain
inertiajs-plain
inertiajs-plain-wordmark
influxdb-original
influxdb-original-wordmark
influxdb-plain
influxdb-plain-wordmark
inkscape-plain
inkscape-plain-wordmark
insomnia-plain
insomnia-plain-wordmark
intellij-plain
intellij-plain-wordmark


ionic-original

ionic-original-wordmark


istio-original

istio-original-wordmark


jaegertracing-plain

jaegertracing-plain-wordmark


jamstack-original


jamstack-plain


jamstack-plain-wordmark


jasmine-original


jasmine-original-wordmark


jasmine-plain


jasmine-plain-wordmark


java-plain


java-plain-wordmark


javascript-plain


jeet-plain


jeet-plain-wordmark

jekyll-plain


jekyll-plain-wordmark


jenkins-line

jenkins-plain


jest-plain


jetbrains-plain


jetpackcompose-line


jetpackcompose-line-wordmark

jetpackcompose-plain


jetpackcompose-plain-wordmark


jhipster-plain

jhipster-plain-wordmark


jira-plain

jira-plain-wordmark

jiraalign-plain


jiraalign-plain-wordmark


jquery-plain


jquery-plain-wordmark


json-plain


jule-original

jule-original-wordmark


jule-plain

jule-plain-wordmark

julia-plain

julia-plain-wordmark

junie-original

junie-plain

junie-plain-wordmark

junit-line

junit-line-wordmark

junit-plain

junit-plain-wordmark

jupyter-plain

jupyter-plain-wordmark

jwt-plain

jwt-plain-wordmark

k3os-line

k3os-line-wordmark

k3os-original

k3os-plain

k3os-plain-wordmark

k3s-original

k3s-plain

k3s-plain-wordmark

k6-original

k6-plain

kaggle-original

kaggle-original-wordmark

kaggle-plain

kaggle-plain-wordmark

kaldi-line

kaldi-line-wordmark

kaldi-plain

kaldi-plain-wordmark

kalilinux-line

kalilinux-line-wordmark

kalilinux-original

kalilinux-plain

kalilinux-plain-wordmark

karatelabs-plain

karatelabs-plain-wordmark

karma-plain

kdeneon-plain

keras-line

keras-line-wordmark

keras-plain

keras-plain-wordmark

kibana-plain

kibana-plain-wordmark

knexjs-original

knexjs-plain

knexjs-plain-wordmark

knockout-plain-wordmark

kotlin-plain

kotlin-plain-wordmark

krakenjs-plain

krakenjs-plain-wordmark

ktor-plain

ktor-plain-wordmark

kubeflow-line

kubeflow-line-wordmark

kubeflow-plain

kubeflow-plain-wordmark

kubernetes-line

kubernetes-line-wordmark

kubernetes-plain

kubernetes-plain-wordmark

labview-plain

labview-plain-wordmark

laminas-line

laminas-line-wordmark

laminas-original

laminas-original-wordmark

laminas-plain

laminas-plain-wordmark

laravel-line

laravel-line-wordmark

laravel-original

laravel-original-wordmark

laravel-plain

laravel-plain-wordmark

laraveljetstream-original

laraveljetstream-plain

laraveljetstream-plain-wordmark

latex-original

latex-plain

leetcode-line

leetcode-line-wordmark

leetcode-plain

leetcode-plain-wordmark

less-plain-wordmark

libgdx-line

libgdx-line-wordmark

libgdx-plain

libgdx-plain-wordmark

linear-plain

linear-plain-wordmark

linkedin-plain

linkedin-plain-wordmark

linux-plain

linuxmint-plain

linuxmint-plain-wordmark

liquibase-original

liquibase-original-wordmark

liquibase-plain

liquibase-plain-wordmark

livewire-plain

livewire-plain-wordmark

llvm-line

llvm-plain

lodash-plain

logstash-plain

logstash-plain-wordmark

lovable-plain

lovable-plain-wordmark

love2d-line

love2d-plain

lua-line

lua-line-wordmark

lua-plain

lua-plain-wordmark

luau-line

luau-line-wordmark

luau-plain

luau-plain-wordmark

lumen-original

lumen-plain

magento-line

magento-line-wordmark

magento-original

magento-plain

magento-plain-wordmark

mapbox-original

mapbox-original-wordmark

mapbox-plain

mapbox-plain-wordmark

mariadb-original

mariadb-original-wordmark

mariadb-plain

mariadb-plain-wordmark

markdown-original

markdown-plain

materializecss-plain

materialui-plain

matlab-line

matlab-plain

matplotlib-plain

matplotlib-plain-wordmark

mattermost-original

mattermost-original-wordmark

mattermost-plain

mattermost-plain-wordmark

maven-plain

maven-plain-wordmark

maya-plain

maya-plain-wordmark

memcached-line

memcached-line-wordmark

memcached-plain

memcached-plain-wordmark

mercurial-plain

mercurial-plain-wordmark

metabase-plain

meteor-plain

meteor-plain-wordmark

microsoftsqlserver-line

microsoftsqlserver-line-wordmark

microsoftsqlserver-plain

microsoftsqlserver-plain-wordmark

minitab-plain

mithril-line

mithril-original

mithril-plain

mobx-plain

mocha-plain

modx-plain

modx-plain-wordmark

moleculer-original

moleculer-original-wordmark

moleculer-plain

moleculer-plain-wordmark

mongock-plain


mongodb-plain

mongodb-plain-wordmark

mongoose-original

mongoose-original-wordmark

monogame-line

monogame-line-wordmark

monogame-original

monogame-plain

moodle-plain

moodle-plain-wordmark

motion-original

motion-plain

msbuild-line

msbuild-plain

msdos-line

msdos-plain

mysql-original

mysql-plain

mysql-plain-wordmark

n8n-plain-wordmark

nano-plain

nano-plain-wordmark

nasm-plain

nasm-plain-wordmark

nats-plain

neo4j-plain

neo4j-plain-wordmark

neovim-line

neovim-line-wordmark

neovim-plain

neovim-plain-wordmark

nestjs-line

nestjs-line-wordmark

nestjs-original

nestjs-original-wordmark

nestjs-plain

nestjs-plain-wordmark

netbeans-plain

netbeans-plain-wordmark

netbox-line

netbox-line-wordmark

netbox-plain

netbox-plain-wordmark

netlify-plain

netlify-plain-wordmark

networkx-line

networkx-line-wordmark

networkx-plain

networkx-plain-wordmark

newrelic-line

newrelic-line-wordmark

newrelic-plain

newrelic-plain-wordmark

nextjs-line

nextjs-line-wordmark

nextjs-original-wordmark

nextjs-plain

nextjs-plain-wordmark

nginx-original

nginx-original-wordmark

nginx-plain

nginx-plain-wordmark

ngrok-line

ngrok-line-wordmark

ngrok-original

ngrok-original-wordmark

ngrok-plain

ngrok-plain-wordmark

ngrx-plain

nhibernate-line

nhibernate-line-wordmark

nhibernate-plain

nhibernate-plain-wordmark

nim-line

nim-line-wordmark

nim-plain

nim-plain-wordmark

nimble-plain

nixos-plain

nixos-plain-wordmark

nodejs-line

nodejs-line-wordmark

nodejs-plain

nodejs-plain-wordmark

nodemon-line

nodemon-plain

nodered-line

nodered-plain

nodewebkit-line

nodewebkit-line-wordmark

nodewebkit-plain

nodewebkit-plain-wordmark

nomad-original

nomad-plain

nomad-plain-wordmark

norg-plain

notion-line

notion-plain

novelwriter-plain

npm-original-wordmark

npm-plain

npss-plain

nuget-original

nuget-original-wordmark

numpy-line

numpy-line-wordmark

numpy-plain

numpy-plain-wordmark

nuxt-original

nuxt-plain

 nuxt-plain-wordmark
 nuxtjs-plain
 nuxtjs-plain-wordmark
 oauth-plain
 oauth-plain-wordmark
 objectivec-plain
 ocaml-plain
 ocaml-plain-wordmark
 odin-plain
 odin-plain-wordmark
 ohmyzsh-plain
 okta-plain
 okta-plain-wordmark
 ollama-original
 ollama-plain
 openal-plain
 openapi-line
 openapi-line-wordmark
 openapi-plain
 openapi-plain-wordmark
 opencl-line
 opencl-line-wordmark
 opencl-plain
 opencl-plain-wordmark
 opencv-plain
 opencv-plain-wordmark
 opengl-plain
 openstack-original
 openstack-plain
 openstack-plain-wordmark
 opensuse-original
 opensuse-original-wordmark
 opensuse-plain
 opensuse-plain-wordmark
 opentelemetry-plain
 opentelemetry-plain-wordmark
 opera-plain
 opera-plain-wordmark
 opnsense-line
 opnsense-original
 opnsense-plain
 opnsense-plain-wordmark
 oracle-original
 oracle-plain
 ory-original
 ory-original-wordmark
 ory-plain
 ory-plain-wordmark
 p5js-original
 p5js-original-wordmark
 p5js-plain
 p5js-plain-wordmark
 packer-line
 packer-line-wordmark
 packer-plain
 packer-plain-wordmark
 pandas-line
 pandas-line-wordmark
 pandas-plain
 pandas-plain-wordmark
 passport-original-wordmark
 passport-plain
 passport-plain-wordmark
 payloadcms-original
 payloadcms-original-wordmark
 payloadcms-plain
 payloadcms-plain-wordmark
 perl-plain
 pfsense-original
 pfsense-original-wordmark
 pfsense-plain
 pfsense-plain-wordmark
 phalcon-plain
 phoenix-original
 phoenix-plain
 phoenix-plain-wordmark
 photonengine-plain
 photonengine-plain-wordmark
 photoshop-line
 photoshop-plain
 php-plain
 phpstorm-plain
 phpstorm-plain-wordmark
 pixijs-plain
 pixijs-plain-wordmark
 playwright-plain
 plotly-plain
 plotly-plain-wordmark
 pm2-line
 pm2-line-wordmark
 pm2-plain
 pm2-plain-wordmark
 pnpm-plain
 pnpm-plain-wordmark
 podman-plain
 podman-plain-wordmark
 poetry-plain
 polygon-plain
 polygon-plain-wordmark
 portainer-original
 portainer-original-wordmark
 portainer-plain
 portainer-plain-wordmark
 positron-line
 positron-plain
 postcss-original
 postcss-plain
 postcss-plain-wordmark
 postgresql-plain
 postgresql-plain-wordmark


postman-plain

postman-plain-wordmark

powershell-plain

premierepro-plain

prestashop-plain

prestashop-plain-wordmark

primeng-plain

prisma-original

prisma-original-wordmark

prisma-plain

prisma-plain-wordmark

processing-line

processing-plain

processing-plain-wordmark

processwire-original

processwire-plain

processwire-plain-wordmark

prolog-plain

prolog-plain-wordmark

prometheus-line

prometheus-line-wordmark

prometheus-original

prometheus-plain

prometheus-plain-wordmark

protractor-line

protractor-line-wordmark

protractor-plain

protractor-plain-wordmark

proxmox-plain

proxmox-plain-wordmark

pug-line

pug-plain

pulsar-original

pulsar-original-wordmark

pulsar-plain

pulsar-plain-wordmark

pulumi-plain

pulumi-plain-wordmark

puppeteer-plain

puppeteer-plain-wordmark

purescript-original

purescript-original-wordmark

putty-plain

pycharm-plain

pycharm-plain-wordmark

pypi-plain

pypi-plain-wordmark

pyscript-plain-wordmark

pytest-plain

pytest-plain-wordmark

python-plain

python-plain-wordmark

pytorch-original

pytorch-plain

pytorch-plain-wordmark

qiskit-original

qiskit-plain

qodana-plain

qodana-plain-wordmark

qt-original

qt-plain

qtest-original

qtest-original-wordmark

qtest-plain

qtest-plain-wordmark

quarkus-plain

quarkus-plain-wordmark

quasar-plain

quasar-plain-wordmark

qwik-plain

qwik-plain-wordmark

r-line

r-plain

rabbitmq-original

rabbitmq-plain

rabbitmq-plain-wordmark

racket-line

racket-plain

radstudio-plain

rails-plain

rails-plain-wordmark

railway-line

railway-line-wordmark

railway-original

railway-original-wordmark

railway-plain

railway-plain-wordmark

rancher-line

rancher-line-wordmark

rancher-original

rancher-plain

rancher-plain-wordmark

raspberrypi-line

raspberrypi-line-wordmark

raspberrypi-plain

raspberrypi-plain-wordmark

ravendb-line

ravendb-line-wordmark

ravendb-original

ravendb-original-wordmark

ravendb-plain

ravendb-plain-wordmark

reach-plain

react-original

react-original-wordmark

react-plain

react-plain-wordmark

reactbootstrap-original

reactbootstrap-plain

reactnative-original


reactnative-original-wordmark

reactnavigation-original

reactnavigation-plain

reactrouter-plain

reactrouter-plain-wordmark

readthedocs-line

readthedocs-original

readthedocs-original-wordmark

readthedocs-plain

readthedocs-plain-wordmark

realm-plain

realm-plain-wordmark

rect-plain

redhat-plain

redhat-plain-wordmark

redis-plain

redis-plain-wordmark

redux-original

redux-plain

reflex-plain

reflex-plain-wordmark

remix-line

remix-line-wordmark

remix-original

remix-original-wordmark

remix-plain

remix-plain-wordmark

renpy-plain

replit-original

replit-plain

replit-plain-wordmark

rexx-plain

rexx-plain-wordmark

rider-plain

rider-plain-wordmark

rocksdb-line

rocksdb-plain

rockylinux-original

rockylinux-plain

rockylinux-plain-wordmark

rollup-line

rollup-line-wordmark

rollup-plain

rollup-plain-wordmark

ros-original

ros-original-wordmark

rspec-line

rspec-line-wordmark

rspec-plain

rspec-plain-wordmark

rstudio-plain

ruby-plain

ruby-plain-wordmark

rubymine-plain

rubymine-plain-wordmark

rust-line

rust-original

rust-plain

rxjs-plain

safari-line

safari-line-wordmark

safari-plain

safari-plain-wordmark

salesforce-plain

sanity-plain

sass-original

sass-plain

scala-plain

scala-plain-wordmark

scaleway-line

scaleway-line-wordmark

scaleway-original

scaleway-original-wordmark

scaleway-plain

scaleway-plain-wordmark

scalingo-line

scalingo-line-wordmark

scalingo-plain

scalingo-plain-wordmark

scikitlearn-line

scikitlearn-line-wordmark

scikitlearn-plain

scikitlearn-plain-wordmark

sdl-plain

seaborn-plain

seaborn-plain-wordmark

selenium-original

selenium-plain

sema-original

sema-original-wordmark

sema-plain

sema-plain-wordmark

sentry-original

sentry-original-wordmark

sentry-plain

sentry-plain-wordmark

sequelize-plain

sequelize-plain-wordmark

sfml-plain

shadcn-original

shopware-original

shopware-original-wordmark

shotgrid-original-wordmark

shotgrid-plain

shotgrid-plain-wordmark

sketch-line

sketch-line-wordmark

sketch-plain

sketch-plain-wordmark

slack-plain

slack-plain-wordmark

socketio-original

socketio-original-wordmark

socketio-plain

socketio-plain-wordmark

solidity-plain

solidjs-plain

solidjs-plain-wordmark

sonarqube-line

sonarqube-line-wordmark

sonarqube-original

sonarqube-plain

sonarqube-plain-wordmark

sourceengine-plain

sourceengine-plain-wordmark

sourcetree-original

sourcetree-original-wordmark

sourcetree-plain

sourcetree-plain-wordmark

spack-plain

spicedb-line

spicedb-plain

splunk-original-wordmark

splunk-plain-wordmark

spring-original

spring-original-wordmark

spring-plain

spring-plain-wordmark

spss-plain

spyder-plain

spyder-plain-wordmark

sqlalchemy-plain

sqlalchemy-plain-wordmark

sqldeveloper-plain

sqlite-plain

sqlite-plain-wordmark

ssh-original

ssh-original-wordmark

ssh-plain

ssh-plain-wordmark

stackblitz-line

stackblitz-line-wordmark

stackblitz-original

stackblitz-plain

stackblitz-plain-wordmark

stackoverflow-line

stackoverflow-line-wordmark

stackoverflow-plain

stackoverflow-plain-wordmark

starship-plain

starship-plain-wordmark

stata-original-wordmark

stata-plain-wordmark

stenciljs-plain

stenciljs-plain-wordmark

stimulus-original

stimulus-plain

stimulus-plain-wordmark

storybook-plain

storybook-plain-wordmark

streamlit-plain

streamlit-plain-wordmark

styledcomponents-plain

styledcomponents-plain-wordmark

stylus-original

subversion-original

subversion-plain

subversion-plain-wordmark

sulu-line

sulu-line-wordmark

sulu-original

sulu-original-wordmark

sulu-plain

sulu-plain-wordmark

supabase-plain

supabase-plain-wordmark

surrealdb-plain

surrealdb-plain-wordmark

svelte-plain

svelte-plain-wordmark

svgo-line

svgo-line-wordmark

svgo-plain

svgo-plain-wordmark

swagger-plain

swagger-plain-wordmark

swift-plain

swift-plain-wordmark

swiper-original

swiper-plain

symfony-original

symfony-original-wordmark

symfony-plain

symfony-plain-wordmark

systemverilog-original

systemverilog-plain

tailwindcss-original

tailwindcss-plain

tailwindcss-plain-wordmark

talos-plain

tauri-plain

tauri-plain-wordmark

teamcity-plain

teamcity-plain-wordmark

teleport-line

teleport-line-wordmark

teleport-original

teleport-original-wordmark

teleport-plain

teleport-plain-wordmark

 tensorflow-line
 tensorflow-line-wordmark
 tensorflow-original
 tensorflow-original-wordmark
 tenzir-line
 tenzir-line-wordmark
 tenzir-original
 tenzir-original-wordmark
 tenzir-plain
 tenzir-plain-wordmark
 terraform-plain
 terraform-plain-wordmark
 terramate-original
 terramate-original-wordmark
 terramate-plain
 terramate-plain-wordmark
 testrail-original
 testrail-plain
 testrail-plain-wordmark
 tex-original
 tex-original-wordmark
 tex-plain
 tex-plain-wordmark
 thealgorithms-plain
 thealgorithms-plain-wordmark
 threedsmax-plain
 threedsmax-plain-wordmark
 threejs-original
 threejs-original-wordmark
 thymeleaf-plain
 thymeleaf-plain-wordmark
 tigerbeetle-line
 tigerbeetle-original
 tigerbeetle-original-wordmark
 tigerbeetle-plain
 tigerbeetle-plain-wordmark
 tinygo-line
 tinygo-plain
 titaniumsdk-original
 titaniumsdk-plain
 tmux-plain
 tmux-plain-wordmark
 tomcat-line
 tomcat-line-wordmark
 toml-plain
 tortoisegit-line
 tortoisegit-plain
 towergit-plain
 towergit-plain-wordmark
 traefikmesh-line
 traefikmesh-line-wordmark
 traefikmesh-original
 traefikmesh-plain
 traefikmesh-plain-wordmark
 traefikproxy-line
 traefikproxy-line-wordmark
 traefikproxy-original
 traefikproxy-plain
 traefikproxy-plain-wordmark
 travis-line
 travis-line-wordmark
 travis-plain
 travis-plain-wordmark
 trello-line
 trello-line-wordmark
 trello-plain
 trello-plain-wordmark
 trpc-plain
 trpc-plain-wordmark
 turbo-original
 turbo-plain
 turbo-plain-wordmark
 twilio-original
 twilio-original-wordmark
 twilio-plain
 twilio-plain-wordmark
 twitter-original
 twitter-plain
 typeorm-line
 typeorm-line-wordmark
 typeorm-plain
 typeorm-plain-wordmark
 typer-line
 typer-line-wordmark
 typer-plain
 typer-plain-wordmark
 typescript-original
 typescript-plain
 typo3-line
 typo3-line-wordmark
 typo3-original
 typo3-plain
 typo3-plain-wordmark
 ubuntu-plain
 ubuntu-plain-wordmark
 unifiedmodelinglanguage-plain
 unifiedmodelinglanguage-plain-wordmark
 unity-line
 unity-line-wordmark
 unity-plain
 unity-plain-wordmark
 unix-original
 unrealengine-original
 unrealengine-original-wordmark
 unrealengine-plain
 unrealengine-plain-wordmark
 uv-line
 uv-original
 uv-plain
 uwsgi-plain


v8-plain


v8-plain-wordmark


vaadin-original


vaadin-plain


vagrant-plain


vagrant-plain-wordmark


vala-plain

vala-plain-wordmark


vapor-plain


vapor-plain-wordmark


vault-original


vault-plain


vault-plain-wordmark


veevalidate-line


veevalidate-original


veevalidate-plain


vercel-line


vercel-line-wordmark

vercel-original


vercel-original-wordmark

vercel-plain


vercel-plain-wordmark

verilog-original


verilog-plain


vertx-line


vertx-line-wordmark


vertx-plain


vertx-plain-wordmark

vim-plain


visualbasic-line

visualbasic-plain


visualstudio-line


visualstudio-plain


vite-original


vite-original-wordmark


vite-plain

vite-plain-wordmark


vitejs-plain

vitess-plain


vitess-plain-wordmark

vitest-plain

vlang-original

vlang-plain

vscode-plain

vscode-plain-wordmark

vscodium-plain

vsphere-line

vsphere-line-wordmark

vsphere-plain

vsphere-plain-wordmark

vuejs-line

vuejs-line-wordmark

vuejs-plain

vuejs-plain-wordmark

vuestorefront-plain

vuetify-line

vuetify-plain

vulkan-line

vulkan-line-wordmark

vulkan-original

vulkan-original-wordmark

vulkan-plain

vulkan-plain-wordmark

vyper-original

vyper-original-wordmark

vyper-plain

vyper-plain-wordmark

waku-line

waku-plain

wasm-original

wasm-plain

wasm-plain-wordmark

wasp-plain

web2py-plain

web3js-plain

webflow-original

webgl-original

webgl-plain

webgpu-line

webgpu-line-wordmark

webgpu-plain

webgpu-plain-wordmark

weblate-plain

weblate-plain-wordmark

webpack-plain

webpack-plain-wordmark

webstorm-plain

webstorm-plain-wordmark

windows11-original

windows11-original-wordmark

windows11-plain

windows11-plain-wordmark

windows8-original

windows8-original-wordmark

windows8-plain

windows8-plain-wordmark

wireguard-line

wireguard-original

wireguard-plain

wireguard-plain-wordmark

wolfram-plain

wolfram-plain-wordmark

woocommerce-plain

woocommerce-plain-wordmark

wordpress-plain

wordpress-plain-wordmark

xamarin-original

xamarin-original-wordmark

xamarin-plain

xamarin-plain-wordmark

 xcode-plain
 xd-line
 xd-plain
 xml-line
 xml-line-wordmark
 xml-plain
 xml-plain-wordmark
 yaml-plain
 yaml-plain-wordmark
 yarn-line
 yarn-line-wordmark
 yarn-original
 yarn-original-wordmark
 yarn-plain
 yarn-plain-wordmark
 yii-plain
 yii-plain-wordmark
 youtrack-plain
 youtrack-plain-wordmark
 yugabytedb-plain
 yugabytedb-plain-wordmark
 yunohost-plain
 zed-original
 zed-plain
 zend-line
 zend-line-wordmark
 zend-original
 zend-original-wordmark
 zend-plain
 zend-plain-wordmark
 zig-original
 zig-plain
 zig-plain-wordmark
 zsh-line
 zsh-line-wordmark
 zsh-plain
 zsh-plain-wordmark
 zustand-plain